

A SYNONYMIC CATALOGUE OF THE GENERA OF ANERASTIINAE
(AUCTORUM) AND PEORIINAE OF THE WORLD
(LEPIDOPTERA: PYRALIDAE)

JAY C. SHAFFER

Department of Biology, George Mason University, Fairfax, Virginia 22030

ABSTRACT—This synonymic catalogue includes all generic and subgeneric names of the Anerastiinae (Auctorum) and Peoriinae of the World (Lepidoptera: Pyralidae) along with references to original descriptions. Type-species are given with their designations and localities. New synonymy is given under *Atascosa* Hulst, *Commotria* Berg, *Mesodiphlebia* Zeller, and *Peoria* Ragonot.

INTRODUCTION

This catalogue is intended to complement that of Whalley (1970) on the related Phycitinae, and follows it closely in style and format. The genera are arranged in alphabetical order. Under the name of each genus is given its author, date, abbreviated reference to the original description, and finally the type species with its designation and type locality. References are given for all subsequent designations.

Stated type localities are based on information given in the original descriptions, but expressed in current English form.

Junior synonyms are cited with full data under their respective senior synonyms, and for convenience are also listed in alphabetical order within the main list. The authority for each synonymy is cited in parentheses after the type-locality of the type-species. The synonymies follow existing literature, with the exception of several new synonymies and several names removed from synonymy. These changes are based upon my examination of type-species. Further changes will undoubtedly be made as studies of this group continue. The gender of all of the valid genera listed below is feminine, except *Anerosoma*, which is neuter, and *Calamotropodes*, *Ematheudes*, *Proavitheudes*, *Raphimetopus*, and *Villiersoides*, which are masculine.

For completeness, this catalogue includes *Anerastia* and other genera transferred to the Phycitinae (Shaffer 1968) but omitted from Whalley (1970).

NOMENCLATURE CHANGES

New synonymy is given under *Atascosa* Hulst, *Commotria* Berg, *Mesodiphlebia* Zeller, and *Peoria* Ragonot.

ABBREVIATIONS

N. Amer. Phycit. North American Phycitidae, see references under Ragonot.

Nouv. Phycit.	Nouveaux Phycitidae, see references under Ragonot.
orig. desig.	Type designation by the original author.
Rom. Mem.	Memoirs on the Lepidoptera edited by N. M. Romanoff, see references under Ragonot.
subseq. desig.	Type designation by a subsequent author.
<i>syn. n.</i>	new synonymy.

SYNONYMIC CATALOGUE

- ACRITONIA Amsel, 1954, Ark. Zool. (2)6:270. *A. comeella* Amsel, orig. desig. Iran: Comé.
- Alamosa* Hampson, see COENOCHROA Ragonot.
- Altoona* Hulst, see PEORIA Ragonot.
- Ambala* Ragonot, see HYPOTROPA Zeller.
- Ampycodes* Hampson, see MALIARPHA Ragonot.
- Ampycophora* Meyrick, see RHINAPHE Berg.
- ANCHYLOBELA Turner, 1947, Trans. Roy. Soc. S. Aust. 71:35. *A. halplodes* Turner, by monotypy. Australia: North Queensland, Kuranda.
- ANACOSTIA Shaffer, 1968, Bull. U.S. Natl. Mus. 280:37. *A. tribulella* Shaffer, orig. desig. U.S.A.: Virginia, Holland.
- ANEMMALOCERA Amsel, 1961, Ark. Zool. (2)13:335. *A. flavescens* Amsel, orig. desig. Iran: Pir-i-Zan.
- ANERASTIA Hübner, 1825, Verz. bekannt. Schmett.:367. *Tinea lotella* Hübner, subseq. desig., Moore, 1886, Lep. of Ceylon 3:357. Presumably Europe.
- Prinanerastia* Hampson, 1918, Proc. Zool. Soc. Lond. 1918:80. *Tinea lotella* Hübner, orig. desig.
- ANEROSOMA Roesler, 1971, Entomol. Zeit. 81:178. *Homocosoma apicipunctella* Caradja, orig. desig. China.
- ARDEKANIA Amsel, 1951, Ark. Zool. (2)1:527. *A. farsella* Amsel, by monotypy. Iran: Comé.
- ARDEKANOPSIS Amsel, 1954, Ark. Zool. (2)6:266. *A. griseella* Amsel, orig. desig. Iran: Tchouroum.
- ARIVACA Shaffer, 1968, Bull. U.S. Natl. Mus. 280:39. *Poujadia pinella* Dyar, orig. desig. U.S.A.: Arizona, Pima Co.
- ASALURIA Amsel, 1958, Sber. öst. Akad. Wiss. (I)167:553. *A. reisseri* Amsel, orig. desig. Iran: Mekran.
- ATASCOSA Hulst, 1890, Trans. Am. Entomol. Soc. 17:210. *A. bicolorella* Hulst, orig. desig. U.S.A.: Texas, Blanco Co.
- Eumoorea* Dyar, 1917, Insec. Inscit. Menstr. 5:91. *E. anchridis* Dyar, by monotypy. Guyana: Georgetown. *syn. n.*
- Aurora* Ragonot, see PEORIA Ragonot.
- BANDERA Ragonot, 1887, N. Amer. Phycit.:19. *Anerastia binotella* Zeller, orig. desig. U.S.A.: Texas.
- Nasutes* Hampson, 1930, Ann. Mag. Nat. Hist. (10)5:53. *N. venata* Hampson, orig. desig. U.S.A.: Colorado, Boulder. (Heinrich, 1956, p. 315).
- BAPTOTROPA Hampson, 1918, Proc. Zool. Soc. Lond. 1918:116. *Patna tricolorella* Hampson, orig. desig. India: Assam, Khásis.

- BARBERIA Dyar, 1905, Proc. Entomol. Soc. Wash. 7:39. *B. affinitella* Dyar, by monotypy. U.S.A.: Texas, Brownsville, Los Borregos.
- Baroda Ragonot, see SALURIA Ragonot.
- BIAFRA Ragonot, 1888, Nouv. Phycit.:40. *B. concinella* Ragonot, orig. desig. South Africa: Natal.
- BIBUNDIANA Strand, 1913, Arch. Naturgesch. 1912, 78 A12:78. *B. inconspicua* Strand, orig. desig. Cameroon: Bibundi.
- CALAMOTROPA Hampson, 1918, Proc. Zool. Soc. Lond. 1918:91. *C. pulverivena* Hampson, orig. desig. Australia: Western Australia, Sherlock River.
- CALAMOTROPODES Janse, 1922, Trans. Entomol. Soc. London 1922:18. *C. grisella* Janse, orig. desig. Rhodesia: Sawmills.
- Calera Ragonot, see PEORIA Ragonot.
- Cayuga Hulst, see PEORIA Ragonot.
- Ccara Ragonot, see PEORIA Ragonot.
- Chipeta Hulst, see PEORIA Ragonot.
- CHORTONOECA Hampson, 1918, Proc. Zool. Soc. Lond. 1918:80. *C. leuco-craspia* Hampson, orig. desig. Algeria: Hammam-es-Salahin.
- CILIOCERA Amsel, 1954, Ark. Zool. (2)6:264. *Emmalocera leucosarca* Meyrick, orig. desig. Iraq: Rayat.
- Ciris Ragonot, see RAGONOTIA Grote.
- COENOCROA Ragonot, 1887, N. Am. Phycit.:20. *C. californiella* Ragonot, orig. desig. U.S.A.: California.
- Alamosa Hampson, 1901, Rom. Mem. 8:369. *A. piperatella* Hampson, by monotypy. U.S.A.: Colorado. (Shaffer, 1968, p. 60.)
- Petaluma Hulst, 1888, Entomol. Amer. 4:116. *Anerastia ilibella* Hulst, orig. desig. U.S.A.: Texas, Blanco Co. (Ragonot, 1889, p. 117.)
- COENOTROPA Hampson, 1918, Proc. Zool. Soc. Lond. 1918:89. *C. limitella* Hampson, orig. desig. Paraguay: Sapucay.
- COMMOTRIA Berg, 1885, An. Soc. Cient. Argent. 19:278. *C. invenustella* Berg, by monotypy. Orig. descr. lists Argentina and Uruguay.
- Mangala Ragonot, 1888, Nouv. Phycit.:41. *M. crassicapella* Ragonot, by monotypy. Central Africa. (Hampson, 1918, p. 107.)
- Timitinoa Dyar, 1914, Proc. U.S. Natl. Mus. 47:347. *T. phyrdes* Dyar, orig. desig. Panama (Canal Zone): Trinidad River. *syn. n.*
- Comorta Ragonot, see RHINAPHE Berg.
- Critonia Ragonot, see EMMALOCERA Ragonot.
- DALAKIA Amsel, 1961, Ark. Zool. (2)13:333. *D. uniformella* Amsel, orig. desig. Iran: Dalaki.
- DEMBEA Ragonot, 1888, Nouv. Phycit.:45. *D. venulosella* Ragonot, by monotypy. Ethiopia.
- DISCOFRONTIA Hampson, 1901, Rom. Mem. 8:350. *D. normella* Hampson, by monotypy. South Africa: Natal.
- EMATHEUDES Zeller, 1867, Stettin. Entomol. Zeitg. 28:385. *Chilo punctellus* Treitschke, by monotypy. Europe.
- EMMALOCERA Ragonot, 1888, Nouv. Phycit.:38. *E. creuatella* Ragonot, orig. desig. Borneo.
- Critonia Ragonot, 1890, Bull. Soc. Entomol. Fr.:214. *C. subconcimella* Ragonot, by monotypy. Burma: Koni. (Meyrick, 1933, p. 385.)

- Lodiana* Ragonot, 1888, *Nouv. Phycit.*:38. *L. unbrivittella* Ragonot, by monotypy. East Indies. (Hampson, 1918, p. 126.)
- Papua* Ragonot, 1889, *Bull. Soc. Entomol. Fr.*:220. *P. latilimbella* Ragonot, by monotypy. New Guinea: Port Moresby. (Hampson, 1918, p. 126.)
- Singhaliella* Strand, 1920, *Arch. Naturgesch.* 1918, 84 A12:189. *S. simplicipalpis* Strand, by monotypy. Formosa: Suisharyo. (Subgen. of *Critonia*.)
- Enosima* Ragonot, see RHINAPHE Berg.
- EPIDAURIA Ragonot, 1901, *Rom. Mem.* 8:405. *Anerastia transversariella* Zeller, orig. desig. Italy: Sicily, Ragusa.
- Erythphlebia* Hampson, see RHINAPHE Berg.
- ETHIOTROPA Hampson, 1918, *Proc. Zool. Soc. Lond.* 1918:116. *E. pyromerella* Hampson, orig. desig. Northern Nigeria: Akassa.
- Eumoorca* Dyar, see ATASCOSA Hulst.
- FONDOUKIA Chretien, 1911, *Bull. Soc. Entomol. Fr.* 1911:11. *F. translucidella* Chretien, by monotypy. Algeria: Biskra.
- FOSSIFRONTIA Hampson, 1901, *Rom. Mem.* 8:338. *F. leuconeuella* Hampson, by monotypy. Australia: Queensland, Cooktown.
- FREGENIA Hartig, 1947, *Boll. Ass. Romana Entomol.* 2:31. *F. prolai* Hartig, orig. desig. Italy: Rome, Fregene.
- GOYA Ragonot, 1888, *Nouv. Phycit.*:43. *G. albivenella* Ragonot, subseq. desig., Hampson, 1901, *Rom. Mem.* 8:349. Argentina.
- IIARNOCHINA Dyar, 1914, *Proc. U.S. Natl. Mus.* 47:340. *H. rectilinea* Dyar, orig. desig. Panama (Canal Zone): Corozal.
- Heosphora* Meyrick, see HYPSTROPA Zeller.
- HOMOSASSA Hulst, 1890, *Trans. Amer. Entomol. Soc.* 17:214. *Ephestia ella* Hulst, orig. desig. U.S.A.: Florida.
- HOSIDIA Hampson, 1901, *Rom. Mem.* 8:408. *H. ochrineuella* Hampson, by monotypy. South Africa: Natal, Estcourt.
- HYPSTROPA Zeller, 1848, *Isis*:591. *H. limbella* Zeller, by monotypy. Southern Europe.
- Ambala* Ragonot, 1888, *Nouv. Phycit.*:45. *A. fuscostrigella* Ragonot, orig. desig. East Indies. (Hampson, 1918, p. 67.)
- Heosphora* Meyrick, 1882, *Proc. Linn. Soc. N. S. W.* 7:158. *Anerastia psamatella* Meyrick, subseq. desig. by Hampson, 1901, 381. Australia: New South Wales, Sydney. (Hampson, 1918, p. 67.)
- Lymira* Ragonot, 1888, *Nouv. Phycit.*:46. *Seleucia semiroscella* Ragonot, unnecessary replacement name for *Seleucia* Ragonot.
- Seleucia* Ragonot, 1887, *Annls. Soc. Entomol. Fr.* 1887:259. *S. semiroscella* Ragonot, by monotypy. Lebanon: Beirut. (Hampson, 1918, p. 67.)
- Socora* Ragonot, 1888, *Nouv. Phycit.*:46. *S. tenuicostella* Ragonot, by monotypy. West Africa: "Sénégalie." (Hampson, 1918, p. 67.)
- Talamba* Ragonot, 1888, *Nouv. Phycit.*:47. *T. tenuinervella* Ragonot, by monotypy. East Indies. (Hampson, 1918, p. 67.)
- Tiara* Ragonot, 1888, *Nouv. Phycit.*:46. *T. pusillella* Ragonot, by monotypy. Tanzania: Zanzibar. (Hampson, 1918, p. 67.)
- KIACHIA Amsel, 1961, *Ark. Zool.* (2)13:336. *K. albicostella* Amsel, orig. desig. Iran: Sengan.
- LAURENTIA Ragonot, 1888, *Nouv. Phycit.*:49. *L. inclarella* Ragonot, by monotypy. Indonesia: Java.

- LEOTROPA Hampson, 1918, Proc. Zool. Soc. Lond. 1918:64. *L. phoenicias* Hampson, orig. desig. Sierra Leone.
- LIOPROSOPA Turner, 1947, Trans. Roy. Soc. S. Austr. 71:30. *Heosphora chlorogramma* Meyrick, orig. desig. Australia: Queensland.
- Lodiana Ragonot, see EMMALOCERA Ragonot.
- Lynira Ragonot, see HYPSTROPA Zeller.
- MALIARPHA Ragonot, 1888, Nouv. Phycit.:48. *M. separatella* Ragonot, by monotypy. Camerouns.
- Ampycodes* Hampson, 1901, Rom. Mem. 8:393. *Anerastia pallidicosta* Hampson, by monotypy. India: Assam, Naga Hills. (Martin, 1958, p. 187.)
- Mangala Ragonot, see COMMOTRIA Berg.
- MARTIA Ragonot, 1887, N. Amer. Phycit.:18. *M. arizonella* Ragonot, by monotypy. U.S.A.: Arizona.
- Urula* Hulst, 1900, Can. Entomol. 32:175. *U. incongruella* Hulst, by monotypy. U.S.A.: California, Argus Mtns. (Barnes and McDunnough, 1917, p. 149.)
- MEGALOPHOTA Hampson, 1918, Proc. Zool. Soc. Lond. 1918:117. *M. leonella* Hampson, orig. desig. Sierra Leone.
- MENUTHIA Ragonot, 1888, Nouv. Phycit.:50. *M. nanella* Ragonot, by monotypy. Tanzania: Zanzibar.
- MESODIPHLEBIA Zeller, 1881, Hor. Soc. Entomol. Ross. 16:251. *M. cras-sivenia* Zeller, by monotypy. Colombia.
- Schenectadia* Dyar, 1914, Proc. U.S. Natl. Mus. 47:348. *S. merilesella* Dyar, orig. desig. Panama (Canal Zone): Corozal. *syn. n.*
- METACRATERIA Hampson, 1918, Proc. Zool. Soc. Lond. 1918:79. *Anerastia pulverulenta* Hampson, orig. desig. Ceylon.
- MONOCTENOCERA Hampson, 1899, J. Bombay Nat. Hist. Soc. 12:310. *M. brachiella* Hampson, by monotypy. India: Calcutta. Sikkim.
- Nasutes Hampson, see BANDERA Ragonot.
- NAVASOTA Ragonot, 1887, N. Amer. Phycit.:18. *N. hebetella* Ragonot, by monotypy. U.S.A.: Texas.
- NEORASTIA Amsel, 1954, Ark. Zool. (2)6:269. *N. albicostella* Amsel, orig. desig. Iran: Bender, Tchahbahar.
- Ollia Dyar, see PEORIA Ragonot.
- OSAKIA Ragonot, 1901, Rom. Mem. 8:318. *O. lineolella* Ragonot, by monotypy. Japan.
- Oscocla Hulst, see PEORIA Ragonot.
- Papua Ragonot, see EMMALOCERA Ragonot.
- PATNA Ragonot, 1888, Nouv. Phycit.:39. *P. eboricostella* Ragonot, by monotypy. East Indies.
- Pectinigeria Ragonot, see SALURIA Ragonot.
- PEORIA Ragonot, 1887, N. Amer. Phycit.:19. *Anerastia haematica* Zeller, orig. desig. U.S.A.: New York and Massachusetts.
- Altoona* Hulst, 1888, Entomol. Amer. 4:116. *Anerastia opacella* Hulst, orig. desig. U.S.A.: Texas, Blanco Co. (Shaffer, 1968, p. 10.)
- Aurora* Ragonot, 1887, N. Amer. Phycit.:18. *A. longipalpella* Ragonot, by monotypy. U.S.A. (Shaffer, 1968, p. 9.)
- Calera* Ragonot, 1888, Nouv. Phycit.:50. *C. punctilimbella* Ragonot, by monotypy. U.S.A.: Carolina. (Shaffer, 1968, p. 10.)

- Cayuga* Hulst, 1888, Entomol. Amer. 4:116. *Spermatophthora gemmatella* Hulst, orig. desig. U.S.A.: Illinois. (Shaffer, 1968, p. 10.)
- Ceara* Ragonot, 1888, Nouv. Phycit.:45. *C. discinotella* Ragonot, by monotypy. Brazil. *syn. n.*
- Chipeta* Hulst, 1892, Can. Entomol. 24:62. *C. perlepidella* Hulst, by monotypy of *Osceola* Hulst. Replacement name for *Osceola* Hulst.
- Ollia* Dyar, 1904, Proc. Entomol. Soc. Wash. 6:107. *O. santaritella* Dyar, by monotypy. U.S.A.: Arizona, Santa Rita Mtns.
- Osceola* Hulst, in Smith, 1891, List of the Lepidoptera of Boreal America: 85. Nomen nudum. *Chipeta perlepidella*, by monotypy. U.S.A.: Florida. Preoccupied by *Osceola* Baird and Girard, 1853, (Shaffer, 1968, p. 10.)
- Statina* Ragonot, 1887, N. Amer. Phycit.:19. *S. roseotinctella* Ragonot, by monotypy. U.S.A.: Florida. (Shaffer, 1968, p. 10.)
- Trivolusia* Dyar, 1903, Bull. U.S. Natl. Mus. 52:438. *Volusia roseopennella* Hulst. Replacement name for *Volusia* Hulst.
- Volusia* Hulst, 1890, Trans. Amer. Entomol. Soc. 17:206. *V. roseopennella* Hulst, orig. desig. U.S.A.: Florida, Volusia Co. Preoccupied by *Volusia* Robineau-Desvoidy, 1830; and by *Volusia* Adams, 1861. (Shaffer, 1968, p. 10.)
- Wekiva* Hulst, 1890, Trans. Amer. Entomol. Soc. 17:215. *W. nodosella* Hulst, orig. desig. U.S.A.: Florida. (Shaffer, 1968, p. 10.)
- Petaluma* Hulst, see COENOCHROA Ragonot.
- POLYCHA Zeller, 1848, Isis, Leipzig:876. *P. sanguinariella* Zeller, by monotypy. South Africa: Cape of Good Hope.
- Polychodes* Chretien, 1911, Bull. Soc. Entomol. Fr. 1911:13. *P. stipella* Chretien, by monotypy. Tunisia: Gafsa. (Hampson, 1918, p. 124.)
- Polychodes* Chretien, see POLYCHA Zeller.
- POSTEMMALOCERA Amsel, 1955, Bull. Inst. Roy. Sci. Nat. Belg. 31(83):21. *Emmalocera palaearetella* Turati, orig. desig. Italy: Tivoli.
- Poujadia* Ragonot, see SALURIA Ragonot.
- PRAERHINAPHE Amsel, 1954, Ark. Zool. (2)6:270. *P. monotona* Amsel, orig. desig. Iran: Bender Tchahbahar.
- PRAESALURIA Amsel, 1958, Beitr. Naturk. Forsch. SüdwDtschl. 17:65. *P. hofufella* Amsel, orig. desig. Saudi Arabia: Hofuf.
- Prinanerastia* Hampson, see ANERASTIA Hübner.
- PROAVITHEUDES Amsel, 1961, Ark. Zool. (2)13:334. *P. persicella* Amsel, orig. desig. Iran: Jaz Murian.
- PROPHTASIA Ragonot, 1887, Anns. Soc. Entomol. Fr. 1887:259. *P. platycerella* Ragonot, by monotypy. U.S.S.R.: Armenia.
- Psammmia* Hampson, see RAGONOTIA Grote.
- RAGONOTIA Grote, 1888, Can. Entomol. 20:75. *Ciris discigerella* Ragonot, orig. desig. U.S.A.: Arizona. Replacement name for *Ciris* Ragonot.
- Ciris* Ragonot, 1887, N. Amer. Phycit.:17. *C. discigerella* Ragonot, orig. desig. Preoccupied by *Ciris* Koch, 1848; and by *Ciris* Grote, 1863.
- Psammmia* Hampson, 1930, Ann. Mag. Nat. Hist. (10)5:71. *P. flavipicta* Hampson, orig. desig. U.S.A.: Florida. (Shaffer, 1968, p. 79.)
- RAPHIMETOPUS Hampson, 1918, Proc. Zool. Soc. Lond. 1918:78. *Anerastia spinifrontella* Ragonot, orig. desig. India: Bombay.

- REYNOSA Shaffer, 1968, Bull. U.S. Natl. Mus. 280:54. *Atascosa floscella* Hulst, orig. desig. U.S.A.: Texas, Blanco Co.
- RHINAPHIE Berg, 1875, Bull. Soc. Imp. Nat. Mosc. 49:231. *R. signicollis* Berg, by monotypy. Argentina.
- Ampycophora* Meyrick, 1882, Proc. Linn. Soc. N.S.W. 7:158. *Pempelia apotomella* Meyrick, by monotypy. Australia: Queensland, Duaringa. (Hampson, 1918, p. 82.)
- Comorta* Ragonot, 1888, Nouv. Phycit.:48. *C. atricostella* Ragonot, by monotypy. Orig. descr. lists Bathurst [Gambia], Andaman Islands, and East Indies. (Hampson, 1918, p. 82.)
- Enosima* Ragonot, 1901, Rom. Mem. 8:389. *E. ncesimella* Ragonot, orig. desig. Japan. (Hampson, 1918, p. 82.)
- Erythphlebia* Hampson, 1901, Rom. Mem. 8:393. *E. enervella* Hampson, orig. desig. Australia: Queensland, Cooktown. (Hampson, 1918, p. 82.)
- RHINAPHENA Strand, 1920, Arch. Naturgesch. 1919, 85 A12:118. *R. disco-cellularis* Strand, by monotypy. Argentina: Misiones.
- RHODOCHRYSA Hampson, 1901, Rom. Mem. 8:387. *R. superbella* Hampson, by monotypy. South Africa: Natal, Estcourt.
- SABORMA Ragonot, 1888, Nouv. Phycit.:37. *S. forcipella* Ragonot, by monotypy. Indonesia: Sumatra.
- SABORMANIA Strand, 1913, Arch. Naturgesch. 1912, 78 A12:80. *S. pia* Strand, by monotypy. West Africa [Southern Cameroon, Spanish Guinea]: Alen.
- SALURIA Ragonot, 1887, Ann. Soc. Entomol. Fr. 1887:258. *S. maculivittella* Ragonot, subseq. desig., Hampson, 1889, J. Bombay nat. Hist. Soc. 12:308. Tunisia: Gabes. U.S.S.R.: Caucasus Mtns, and Margelan.
- Baroda* Ragonot, 1888, Nouv. Phycit.:42. *B. paucigraphella* Ragonot, by monotypy. East Indies. (Hampson, 1918, p. 93.)
- Pectinigeria* Ragonot, 1888, Nouv. Phycit.:43. *P. macrella* Ragonot, orig. desig. South Africa: Natal. (Hampson, 1918, p. 93.)
- Poujadia* Ragonot, 1888, Nouv. Phycit.:42. *P. sepicostella* Ragonot, orig. desig. East Indies. (Hampson, 1918, p. 93.)
- Scnecctadia* Dyar, see MESODIPHLEBIA Zeller.
- Seleucia* Ragonot, see HYPSTOTROPA Zeller.
- SHIRAZIA Amsel, 1954, Ark. Zool. (2)6:268. *S. monotona* Amsel, orig. desig. Iran: Shiraz.
- SIBOGA Hampson, 1901, Rom. Mem. 8:338. *Hypsotropha falsella* Snellen, by monotypy. Indonesia: Sumatra.
- Singhaliella* Strand, see EMMALOCERA Ragonot.
- Socora* Ragonot, see HYPSTOTROPA Zeller.
- Statina* Ragonot, see PEORIA Ragonot.
- SUDANIA Hampson, 1901, Rom. Mem. 8:380. *S. subcostella* Hampson, by monotypy. Gabon: Ogooue River.
- Talamba* Ragonot, see HYPSTOTROPA Zeller.
- TAMPA Ragonot, 1887, N. Amer. Phycit.:19. *T. dimediatella* Ragonot, by monotypy. U.S.A.: Florida, Archer.
- Tiarra* Ragonot, see HYPSTOTROPA Zeller.
- TINERASTIA Hampson, 1901, Rom. Mem. 8:414. *Menuthia fissirella* Hampson, orig. desig. Ceylon: Hambantota.
- Tinitinoa* Dyar, see COMMOTRIA Berg.

TOLIMA Ragonot, 1888, *Nouv. Phycit.*:41. *T. oberthurii* Ragonot, orig. desig. Colombia.

Trivolusia Dyar, see PEORIA Ragonot.

Urula Hulst, see MARTIA Ragonot.

VALDOVECARIA Zerny, 1927, *Eos.*:449. *V. bradyrrhoella* Zerny, by monotypy. Spain: Teruel, Albarracin.

VILLIERSOIDES Marion, 1957, *Bull. Inst. Fr. Afr. Noire (A)*19:1201. *V. rosabella* Marion, orig. desig. Senegal: Dakar.

Volusia Hulst, see PEORIA Ragonot.

WAKULLA Shaffer, 1968, *Bull. U.S. Natl. Mus.* 280:74. *Bandera carneella* Barnes and McDunnough, orig. desig. U.S.A.: Florida.

Wekiva Hulst, see PEORIA Ragonot.

INDEX OF SPECIES

- affinitella* Dyar, *Barberia*
albicostella Amsel, *Khachia*
albicostella Amsel, *Neorastia*
albivenella Ragonot, *Goya*
aptonella Meyrick, *Rhinaphe*
arizonella Ragonot, *Martia*
atricostella Ragonot, *Rhinaphe*
bicolorella Hulst, *Atascosa*
binotella Zeller, *Bandera*
brachiella Hampson, *Monoctenocera*
bradyrrhoella Zerny, *Valdovecaria*
californiella Ragonot, *Coenochroa*
carneella Barnes and McDunnough,
Wakulla
chlorogramma Meyrick, *Lioprosopa*
comeella Amsel, *Acritonia*
concinella Ragonot, *Biafra*
crassicapella Ragonot, *Commotria*
crassivenia Zeller, *Mesodiphlebia*
crenatella Ragonot, *Emmalocera*
dimediatella Ragonot, *Tampa*
discigerella Ragonot, *Ragonotia*
discinotella Ragonot, *Peoria*
discocellularis Strand, *Rhinaphena*
eboricostella Ragonot, *Patna*
ella Hulst, *Homosassa*
enervella Hampson, *Rhinaphe*
falsella Snellen, *Siboga*
farsella Amsel, *Ardekania*
fissirella Hampson, *Tinerastia*
flavescentella Amsel, *Anemmalocera*
flavipicta Hampson, *Ragonotia*
floscella Hulst, *Reynosa*
forcipella Ragonot, *Saborma*
fuscotrigeria Ragonot, *Hypsotropa*
gemmatella Hulst, *Peoria*
griseella Amsel, *Ardekanopsis*
grisella Janse, *Calamotropodes*
haematica Zeller, *Peoria*
haplodes Turner, *Anchylobela*
habetella Ragonot, *Navasota*
hofufella Amsel, *Praesaluria*
illibella Hulst, *Coenochroa*
inclarella Ragonot, *Laurentia*
incongruella Hulst, *Martia*
inconspicua Strand, *Bibundiana*
invenustella Berg, *Commotria*
latilimbella Ragonot, *Emmalocera*
leonella Hampson, *Megalophota*
leucocraspia Hampson, *Chortonoecca*
leuconeurella Hampson, *Fossifrontia*
leucosarca Meyrick, *Ciliocera*
limbella Zeller, *Hypsotropa*
limitella Hampson, *Coenotropa*
lineolella Ragonot, *Osakia*
longipalpella Ragonot, *Peoria*
lotella Hübner, *Anerastia*
macrella Ragonot, *Saluria*
maculivittella Ragonot, *Saluria*
merilesella Dyar, *Mesodiphlebia*
monotona Amsel, *Praerhinaphe*
monotona Amsel, *Shirazia*
uanella Ragonot, *Menuthia*
neesinella Ragonot, *Rhinaphe*
nodosella Hulst, *Peoria*
normella Hampson, *Discofrontia*
oberthurii Ragonot, *Tolina*
ochrincurella Hampson, *Hosidia*
opacella Hulst, *Peoria*
palaeartella Turati, *Postemmalocera*

pallidicosta Hampson, *Maliarpha*
paucigraphella Ragonot, *Saluria*
perlepidella Hulst, *Peoria*
persicella Amsel, *Proavithedes*
phoenicias Hampson, *Leotropa*
phyrdes Dyar, *Commotria*
pia Strand, *Sabormania*
pimella Dyar, *Arivaca*
piperatella Hampson, *Coenochroa*
platycercella Ragonot, *Prophtasia*
prolai Hartig, *Fregenia*
psamathella Meyrick, *Hypsotropa*
pulverivena Hampson, *Calamotropa*
pulverulella Hampson, *Metacrateria*
punctellus Treitschke, *Ematheudes*
puuctilimbella Ragonot, *Peoria*
pusillella Ragonot, *Hypsotropa*
pyromerella Hampson, *Ethiotropa*
rectilinea Dyar, *Harnochina*
reisseri Amsel, *Asaluria*
rosabella Marion, *Villiersoides*
roseotinctella Ragonot, *Peoria*
roscopenella Hulst, *Peoria*

sanguinariella Zeller, *Polyocha*
santaritella Dyar, *Peoria*
semirosella Ragonot, *Hypsotropa*
separatella Ragonot, *Maliarpha*
sepicostella Ragonot, *Saluria*
signicollis Berg, *Rhinaphe*
simplicipalpis Strand, *Emmalocera*
spinifrontella Ragonot, *Raphimetopus*
stipella Chretien, *Polyocha*
subconcinella Ragonot, *Emmalocera*
subcostella Hampson, *Sudania*
superbella Hampson, *Rhodochrysa*
tenuicostella Ragonot, *Hypsotropa*
tenuinervella Ragonot, *Hypsotropa*
translucidella Chretien, *Fondoukia*
transversariella Zeller, *Epidauria*
tribulella Shaffer, *Anacostia*
tricolorella Hampson, *Baptotropa*
umbrivittella Ragonot, *Emmalocera*
uniformella Amsel, *Dalakia*
venata Hampson, *Baudera*
venulosella Ragonot, *Dembea*

ACKNOWLEDGMENTS

I wish to express my appreciation to P. E. S. Whalley of the British Museum (Natural History) for his advice on various problems associated with this work, and also to my wife Karan for her assistance with library work and typing the manuscript.

REFERENCES

- Heinrich, C. 1956. American moths of the subfamily Phycitinae. Bull. U.S. Natl. Mus. 207:1-581.
- Ragonot, E. L. 1887. Diagnoses of North American Phycitidae and Galleridae. Pp. 1-20. Paris.
- . 1888. Nouveaux Genera et Especies de Phycitidae et Galleridae. Pp. 1-52. Paris.
- . 1901. Memoires sur les Lepidopteres, par N. M. Romanoff. VIII, Monographie des Phycitinae et des Galleriinae. Pp. 1-602. MS. completed by Sir G. F. Hampson.
- Shaffer, J. C. 1968. A Revision of the Peoriinae and Anerastiinae (Auctorum) of America North of Mexico (Lepidoptera: Pyralidae). Bull. U.S. Natl. Mus. 280:1-124.
- Whalley, P. E. S. 1970. A Synonymic Catalogue of the genera of Phycitinae (Lepidoptera: Pyralidae) of the World. Bull. Br. Mus. Natl. Hist. (Entomol.) 25:33-72.